


Tube. GRP, galvanised steel,
stainless steel & powder coated


Lockinex[®]
great service, great quality

Galvanised tube

	Tube diameter	Wall thickness	Stock length availability
	26.9mm		3.2mtr, 6/6.4mtr
	33.7mm	3.2mm	3.2mtr, 6/6.4mtr
	42.4mm	3.2mm	3.2mtr, 6/6.4mtr
	48.3mm	3.2mm	3/3.2mtr, 6/6.4mtr
	60.3mm	3.6mm	3.2mtr, 6/6.4mtr


Lockinex tube manufactured to EN10255:2004 and galvanised to EN 10240:A1

Stainless steel tube

	Tube diameter	Wall thickness	Stock length availability
	42.4mm	2mm	6mtr


Grade 304 stainless steel tube with 320 grit satin finish.

GRP tube

	Tube type	Wall thickness	Stock length availability
	Yellow 50mm dia. CHS	5mm	5mtr
	Grey 38mm dia. CHS	3mm	6mtr
	Grey 50 x 50mm SHS	6mm	6mtr

GRP tubular sections. Surface veils are used in all GRP tube along with oxybenzone additives within the resin to increase UV resistance.

Stock powder coated tube

	Tube diameter	Wall thickness	Stock length availability
	42.4mm	3.2mm	1060mm, 1.6mtr, 3.2mtr
	48.3mm	3.2mm	1060mm, 1.6mtr, 3.2mtr

Lockinex galvanised tube powder coated RAL 1023 yellow. Galvanised tube is phosphate treated prior to powder coating for enhanced corrosion resistance and best powder coating adhesion.